Lenovo® recommends Windows Vista® Business.

ULTIMATE PERFORMANCE TO UNLEASH YOUR FULL POTENTIAL.

THINKSTATION® S20 & D20

From Lenovo's exceptional engineers comes the next generation of ThinkStation[®], designed exclusively for specialized professionals using graphically and computationally intensive applications. Its groundbreaking design ramps up parallel workflows, enabling professional users to quickly bring their ideas to life.

Equipped with the latest technology from Intel®, the ThinkStation delivers performance that is simply unattainable with a standard desktop PC. The ThinkStation S20 and D20's powerful and efficient Intel® Xeon® processors speed through even the toughest workloads. Sporting up to eight powerful processing cores, the new ThinkStation comes fully equipped with an on-chip memory controller and Intel® QuickPath Interconnect, allowing you to innovate faster than ever before.

The Lenovo ThinkStation has an environmentally conscious, usercentric design that ultimately results in increased productivity. In addition, the performance and quality-focused Lenovo ThinkStation supports ThinkVantage[®] Technologies such as Rescue and Recovery[™] and Client Security Solution, providing users with superior data security.

EXTREME PERFORMANCE

- Brand-new Intel® Xeon® CPUs on both S and D series workstations deliver unmatched performance with incredible efficiency
- ThinkStation workstations come armed with a full line of bleeding-edge graphics technologies, including the NVIDIA[®] QUADRO[®] line, supporting SLI on select D Series configurations, and ATI[®] FirePro[™] graphics
- With up to a 1060W power supply on the D series, ThinkStation delivers all the juice your key components need to maintain peak performance

QUIET AND RELIABLE

- The ThinkStation's 24db idle operating noise level makes it nearly undetectable
- ThinkStation's unique thermal design is engineered for maximum cool air delivery to key components, reducing the risk of hardware failure

ENVIRONMENTALLY RESPONSIBLE

- Both the S20 and D20 are EPEAT™ GOLD, GREENGUARD[®] Certified
- The ThinkStation S20 and D20 contain more than 50% recycled plastics, including 26% post-consumer content
- All ThinkStation models are RoHS compliant
- Many ThinkStation models are Energy Star[®] 5.0 compliant

ENGINEERED FOR THE ULTIMATE USER EXPERIENCE

- The ThinkStation's secure premium cover latch makes the cover easily removable, allowing users to make instant upgrades
- The ThinkStation's illuminated front panel and icons make ports easily accessible, especially in studio and office environments
- The ThinkStation's ergonomically designed, removable handle makes it easy to carry, move and manage
- Rack implementation is possible both in the ThinkStation S20 and the ThinkStation D20

TOP REASONS TO OWN

- THE ULTIMATE USER-FRIENDLY WORKSTATION EXPERIENCE
- PERFORMANCE THAT TAKES EXTREME SPEED AND EFFICIENCY TO NEW LEVELS
- COOL AND QUIET
- POWER AND EXPANDABILITY THAT'S UNATTAINABLE ON A DESKTOP PC
- TESTED AND CERTIFIED BY ISVs



ThinkStation[®] Ideas Energy Efficient Low Operating Noise Greater Expandability Extreme Performance



(1)

לוצוצוצוצוצו

lenovo

CUTTING-EDGE POWER.

THINKSTATION® S20 & D20

The ThinkStation[®] is a high performance, high quality workstation designed to run graphically and computationally intensive applications for professional users who require a level of performance unattainable with a standard desktop PC.

TWO WAYS TO INNOVATE

- All Lenovo ThinkStation workstations share common features that showcase Lenovo's dedication to quality, including quiet acoustics, a cool thermal design, RAID standard, back-lit front I/Os and tool-less upgrades. However, both the S20 and D20 also feature unique qualities that makes them a great match for your individual needs.
- The single-processor Intel[®] Xeon[®] ThinkStation S20 is the ideal mid-range workstation solution. Offering a robust 625W power supply, even the S20 allows for easy upgrades and offers support for two high-end powered graphics adapters. It is ideal for 2D digital content creators and users of mid-range CAD and EDA applications.
- The dual-processor Intel[®] Xeon[®] ThinkStation D20 is a computational powerhouse. Offering 12 DIMM slots and RDIMM technology, the D20 supports up to 192GB* of blazing-fast DDR3 memory and is perfect for users of memory and CPU-hungry applications like high-end CAD/CAM/ CAE, 3D digital content creation and professional video editing software. The D20 also offers 1394 and SAS support standard, support for NVIDIA's Tesla[™] C1060 GPU computing solution and NVIDIA SL on select Quadro cards, as well as more expandability options than the S Series.

*Pending availability of 16GB DIMMs



lenovo

(2)

Lenovo is working closely with leading software partners — such as Autodesk®, Dassault Systèmes® and PTC® — to ensure optimum performance and stability in the demanding applications you use every day. Independent Software Vendors (ISVs) test and certify system and application compatibility, providing you the assurance of a robust and reliable platform.

LEADING INTEL® TECHNOLOGIES

The new performance-driven Intel® Xeon® micro architecture utilizes Intel's new 45nm technology for energy-efficient, multi-core processing.

- More instructions per clock and improved caching
- Dynamic Power Management for less energy consumption during periods of low utilization
- Intel[®] Turbo Boost technology for additional performance during peak processing

Additionally, Intel's newest Xeon® processors deliver world class performance combined with superior energy efficiency through a large latency decrease and a bandwidth increase over previous generation workstations.



ThinkStation[®] Ideas Energy Efficient Low Operating Noise Greater Expandability Extreme Performance



THINKSTATION® S20/D20 WORKSTATION SPECIFICATIONS AND SERVICES



S20 Dual-Core

Intel® Xeon® Processor E5502 - 1.86GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W Quad-Core

Intel® Xeon® Processor W3520 - 2.66Ghz - 4.8 QPI, 8MB L2, DDR3-1066, Turbo, HT, 130W
Intel® Xeon® Processor W3540 - 2.93GHz - 4.8 QPI, 8MB L2, DDR3-1066, Turbo, HT, 130W
Intel® Xeon® Processor W3570 - 3.2GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 130W
Intel® Xeon® Processor E5504 - 2.00GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W
Intel® Xeon® Processor E5506 - 2.13GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W
Intel® Xeon® Processor E5520 - 2.26GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W
Intel® Xeon® Processor E5530 - 2.40GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W
Intel® Xeon® Processor E5540 - 2.53GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W
Friday and

Extreme

Intel® Xeon® Processor X5550 - 2.66GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W Intel® Xeon® Processor X5560 - 2.80GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W Intel® Xeon® Processor X5570 - 2.93GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W Intel® Xeon® Processor W5580 - 3.20GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 130W



D20
Dual-Core
Intel [®] Xeon [®] Processor E5502 - 1.86GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W
Quad-Core
Intel® Xeon® Processor E5504 - 2.00GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W Intel® Xeon® Processor E5506 - 2.13GHz - 4.8 QPI, 4MB L2, DDR3-800, 80W Intel® Xeon® Processor E5520 - 2.26GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W Intel® Xeon® Processor E5530 - 2.40GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W Intel® Xeon® Processor E5540 - 2.53GHz - 5.86 QPI, 8MB L2, DDR3-1066, Turbo, HT, 80W Intel® Xeon® Processor W5580 - 3.20GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 130W
Extreme
Intel® Xeon® Processor X5550 - 2.66GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W Intel® Xeon® Processor X5560 - 2.80GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W

Intel® Xeon® Processor X5570 - 2.93GHz - 6.4 QPI, 8MB L2, DDR3-1333, Turbo, HT, 95W

		S20	D20
	Available Preloads	Genuine Windows Vista® Business 32	Genuine Windows Vista® Business 3
	Available Preloaus	Genuine Windows Vista® Business 64	Genuine Windows Vista® Business 6
Operating		Genuine Windows Vista® downgrade to	Genuine Windows Vista® downgrade to
Systems	Supported	Genuine Windows® XP Professional 32-bit	Genuine Windows® XP Professional 32-b
	Supported	Genuine Windows® XP Professional 64-bit	Genuine Windows® XP Professional 64-b
		Red Hat® Enterprise Linux® 5.2 64-bit	Red Hat® Enterprise Linux® 5.2 64-bit t
		NVIDIA® Quadro® NVS 290	NVIDIA Quadro NVS 290
	from NVIDIA®	NVIDIA Quadro FX 380	NVIDIA Quadro FX 380
		NVIDIA Quadro FX 580	NVIDIA Quadro FX 580
Granhics		NVIDIA Quadro FX 1800	NVIDIA Quadro FX 1800
Graphics		NVIDIA Quadro FX 4800	NVIDIA Quadro FX 4800
		ATI® FirePro® V3700	ATI FirePro V3700
	ATI®	ATI FirePro V5700	ATI FirePro V5700
		ATI FirePro V7750	ATI FirePro V7750
		Any combination	of two of the above cards is supporte
	SATA - 3.5", 7200 rpm	250GB, 500GB, 750GB, 1.0TB	250GB, 500GB, 750GB, 1.0TB
lard Disk	SATA - 2.5", 10000 rpm	74GB, 150GB, 300GB	74GB, 150GB, 300GB
Drives	SAS* - 3.5", 15000 rpm	147GB, 300GB	147GB, 300GB
	0A0 0.0,100001pm		
			d required for SAS on ThinkStation S
		DVD-ROM	DVD-ROM
Optical Drives		DVD +/- RW DL	DVD +/- RW DL
		Blu-ray™ Disc Burner	Blu-ray™ Disc Burner
	Chassis Form Factor	Mid-Tower	Tower
	Dimensions (without handle)	426 x 175 x 483mm	434 x 210 x 602mm
Physical	Weight (typical config.)	~15 kg	~25kg
	Internal Speaker	Standard	Standard
	Rack Mounting	Via rack shelf	Via shelf or optional rail kit
	Gen 2 PCIe x16 Slots	2	2
	PCIe x 4 Slots	1 (x16 physical)	1 (x16 physical)
	PCIe x 1 Slots	1	1
Slots/Bays	PCI Slots	1	2
	3.5" Internal Bays	3	5
	3.5" External Bays	1	1
	5.25" External Bays	2	3
	Form Factor	Full ATX	Extended ATX
	Chipset	Intel® Tylersburg 36S	Intel® Tylersburg 36D
	Ethernet	Broadcom 5755	1x Broadcom 5755 plus 1x Broadcom 57
Mathevil and	SATA/SAS Connectors	1 eSATA, 5 SATA Gen 2	1 eSATA, 5 SATA Gen 2, 5 SAS
Notherboard	Memory Type	DDR3 ECC UDIMM	DDR3 ECC UDIMM and DDR3 RDIM
	Memory Speed	Up to 1333MHz	Up to 1333MHz
	DIMM Slots	6	12
	Maximum Memory	12GB	192GB*
	Wattage	625W	1060W
Danuar Cummlu	Efficiency	85%+	85%+
Power Supply	Dating	100-127/200-240V	100-127/200-240V
	Rating	8/4A	12/6A
	EPEAT Rating	Gold	Gold
	Energy Star 5.0	Select Models	Select Models
	RoHS Compliant	Yes	Yes
Environmental	Total Recycled Plastic	50%	50%
	Content	50%	50%
	Post Consumer Recycled Content	~26%	~27%
	GREENGUARD® Certified	Yes	Yes
	Back-lit Icons	Yes	Yes
Front I/O	IEEE 1394	No	Standard 6-pin
	Memory Card Reader	20-in-1	20-in-1
	Analog Audio	Stereo, Mic	Stereo, Mic
	Serial	1 (2nd Optional)	1 (2nd Optional)
	Ethernet	Gigabit (RJ45)	2x Gigabit (RJ45)
	IEEE 1394	Optional via Card	Standard 6-pin
		*	· · · · · · · · · · · · · · · · · · ·
Rear I/O	USB	8	8
Rear I/O		8 6 Connectors for 7.1 HD Audio	8 6 Connectors for 7.1 HD Audio
?ear I/O	USB		



ThinkStation[®] Ideas Energy Efficient Low Operating Noise Greater Expandability Extreme Performance



THINKSTATION® S20/D20 WORKSTATION ACCESSORIES AND OPTIONS

	ThinkStation S20		ThinkStation D20
P	Lenovo [®] ThinkVision [™] L2440p Wide Monitor (T40HBxx; R40HBxx) The L2440p is a champion for the environme Wide LCD supporting 1920x1200 WUXGA with full HD. 92% colour gamut height-adjustable stand for optimum viewing comfort. www.lenovo.com/thinkvision; www.lenovo.com/support/mo	for displa	aying vibrant colours. Analog and digital input. Tilt, swivel, and
	, , , , , , , , , , , , , , , , , , , ,	moraci	
		(45K16 (45K16 (51J05	 71) NVIDIA Quadro FX 580 Dual DisplayPort, DVI-I 73) NVIDIA Quadro FX 3800* Dual DisplayPort, DVI-I, Stereo 09) ATI® FirePro® V3700 Dual DVI-I 11) ATI FirePro V7750 Dual DisplayPort, DVI-I
	www.ienovo.com/support/graphiceards		* Available in April 20
	 Workstation UDIMM memory Adding memory is a cost-effective method to boost system performance and productivity (43R2032) PC3-10600 1333MHz DDR3 ECC UDIMM Memory – 1GB (43R2033) PC3-10600 1333MHz DDR3 ECC UDIMM Memory – 2GB (51J0503) PC3-8500 1066MHz DDR3 ECC UDIMM Memory - 1GB (51J0504) PC3-8500 1066MHz DDR3 ECC UDIMM Memory - 2GB 		Workstation UDIMM and RDIMM memory Adding memory is a cost-effective method to boost system performance and productivity (45K1670) PC3-10600 1333MHz DDR3 ECC UDIMM Memory – 1GB (45K1671) PC3-10600 1333MHz DDR3 ECC UDIMM Memory – 2GB (51J0503) PC3-8500 1066MHz DDR3 ECC UDIMM Memory – 1GB (51J0504) PC3-8500 1066MHz DDR3 ECC UDIMM Memory – 2GB (43R2034) PC3-8500 1066MHz DDR3 RDIMM Memory – 1GB (43R2035) PC3-8500 1066MHz DDR3 RDIMM Memory – 2GB (43R2036) PC3-8500 1066MHz DDR3 RDIMM Memory – 2GB (43R2037) PC3-8500 1066MHz DDR3 RDIMM Memory – 4GB (43R2037) PC3-8500 1066MHz DDR3 RDIMM Memory – 8GB
	Storage Expand hard disk drive capacity and store more data (41N3015) Lenovo 250GB 7200 rpm Serial ATA Hard Drive (43R1991) Lenovo 750GB 7200 rpm Serial ATA Hard Drive (43R1991) Lenovo 750GB 7200 rpm Serial ATA Hard Drive (43R1993) ThinkStation 146GB 15K rpm SAS Hard Drive (43R1994) ThinkStation 146GB 15K rpm SAS Hard Drive (43R1994) ThinkStation 300GB 15K rpm SAS Hard Drive		
•	Mixing of Serial ATA and SAS Hard Drives is not recommended. Most S-Se models are configured with SAS Hard Drives.	ries mode	els are configured with Serial ATA Hard Drives and most D-Series
	Lenovo [®] Memory Keys Easily carry data with you between systems. A slim design allows space for (41U5120) Lenovo USB 2.0 Security Memory Key – 4GB (45J5917) Len- (45J5918) Lenovo USB Ultra Secure Memory Key – 8GB (45K1258) Let	ovo USB l	Jltra Secure Memory Key – 4GB
intel Macrosoft			Intel® Xeon® Processors Elite performance; add a 2nd processor to ThinkStation D20 (43R2038) Intel® Xeon® Processor E5520: 2.26GHz, 1066MHz, 8MBL2 (43R2039) Intel® Xeon® Processor E5530: 2.40GHz, 1066MHz, 8MBL2 (43R2040) Intel® Xeon® Processor E5540: 2.53GHz, 1066MHz, 8MBL2 (43R2042) Intel® Xeon® Processor X5550: 2.66GHz, 1333MHz, 8MBL2 (43R2043) Intel® Xeon® Processor X5550: 2.80GHz, 1333MHz, 8MBL2
			ThinkStation Rail Kit (43R1964) Easily install the ThinkStation D20 into a rack for data center environments
6	Kensington Twin Head Cable Lock (45K1620) Secure ThinkStation® and/or a LCD monitor with a 6-foot (1.8r Meets the SAFE PRO security rating.	n) steel co	ThinkStation Rail Kit (43R1964) Easily install the ThinkStation D20 into a rack to center environments

🛞 www.lenovo.com

THINK SAVINGS. THINK LENOVO.

Lenovo reserves the right to alter product offerings and specifications at any time without notice. Models pictured are for illustration purposes only.

Lenovo is not responsible for typographic or photographic errors.

Information advertised has no contractual effect. Lenovo may not offer the products, services or features discussed in this document in all countries. Consult your local Lenovo representative for information on offerings available in your area.

Lenovo, the Lenovo logo, Rescue and Recovery, ThinkStation, ThinkVantage and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel Iogo, Intel Core, Core Inside, Xeon and Xeon Inside are registered trademarks of Intel Corporation in the U.S. and other countries. Other company, product and service names may be trademarks or service marks of others. ©2009 Lenovo. All rights reserved.



ThinkStation[®] Ideas Energy Efficient Low Operating Noise Greater Expandability Extreme Performance

